



Registered Mail

Finance Institute  
Mr. G. Meier  
Schoenbodenstrasse 4  
8640 Rapperswil

Rapperswil, 02/05/07

**PIN-Letter**

Dear Madame, Dear Sir

Thank you very much for your order. Your IBASEC components were configured and personalized, tested and sent to your delivery address.

Enclosed, you find the personal HSM security parameters and also a 'Hint for Administrators'. We assure you, that all security parameters were passed to you (PED's and iKeys without PIN) and that Keyon has no copies of it.

HSM-Serial #	012345	
Admin-Password	12345-12345	See Note #1 on next page
Partitions-Password	1234-abcd-1234-abcd	
IP Address	192.168.200.23	

Application-Password	It can be set individually without knowing the old Application-Password.	
iKeys for PED	<ul style="list-style-type: none"> <li>▪ iKeys have no PIN. Just press the &lt;Enter&gt; button on the PED if you were asked to enter a PIN.</li> <li>▪ All iKeys of a specific color (i.e blue, black and red) are identical and may be used irrespective of HSM's.</li> </ul>	

Corresponding to the reference of Swiss Interbank Clearing Ltd, you should at least change the partitions passwords (Please refer to SIC/euroSIC User Manual, B 5.5.3 Changing passwords and the IBASEC User Manual chapter 3.1.).

Kind regards

Your Keyon – Premium Rollout Team

## **#1 - Important manual update**

IMPORTANT new processing as to the initial setting of the Admin and the Partition Password according to this PIN letter (Premium Rollout):

Please note that the Use Case 11 (Connect a new HSM with "Premium Rollout") differs from the last User Manual version 2.3 published on March 26, 2007.

The updated Use Case is now available in the most recent User Manual version 2.4 from April 30, 2007. It can be downloaded under [www.keyon.ch/ibasec/faq/](http://www.keyon.ch/ibasec/faq/) or alternatively under [www.bbp.ch/ibasec](http://www.bbp.ch/ibasec) (IBASEC FAQs).

## **#2 - Hint for Administrators**

If an exchanged or repaired Luna SB is reconnected to the UNIX-IBASEC-Server there could be problems with the ssh-connection between Luna SB and Server. In this case it is necessary to edit the IBASEC users file `$HOME/.ssh/known_hosts` and delete the line with the exchanged Luna SBs IP address.

Also see User Manual IBASEC chapter 9.7 case 14: HSM Initialization.